OMB No. 0578-0030 NRCS-PDM-20

DAMAGE SURVEY REPORT (DSR) Emergency Watershed Protection Program – Recovery

Section 1A	El	<u>RCS Entr</u> ligible:	YES NO
Date of Report: 02/20/2006	A ₁	pproved:	YES NO Tority Number (from Section 42de
DSR Number: 011-05-004R Project Number:	_ Li	imited Re	source Area: YES NO N
Sponsor Name: Beauregard Parish Police Jury	or Inform	ation	
Address: P.O. Box 310			
City/State/Zip: DeRidder, Louisiana 70634		·	
Telephone Number: _(337) 462-0675			
Section 1C Site Loca	tion Info	rmation	
County: Beauregard State: Louisiana	Congre	essional D	istrict:
Latitude: Longitude: S	Longitude: 093.12319 Section: 31 Township: T3S Range: R7		
UTM Coordinates:			
Drainage Name: Lateral drain into Bundicks Lake	Reach: 25	0 LF	
Damage Description: Debris accumulation in channel from Hurricane	Rita.		
Section 1D Site		on	
All answers in this Section must be YES in order to be eligible for EV			
Site Eligibility	YES	NO	Remarks
Damage was a result of a natural disaster?*	✓		
Recovery measures would be for runoff retardation or soil erosion prevention?*	✓		
Threat to life and/or property?*	\		
Event caused a sudden impairment in the watershed?*	▼		
Imminent threat was created by this event?**	V		
For structural repairs, not repaired twice within ten years?**	-		
Site Defensibility			
Economic, environmental, and social documentation adequate to	formers.	-	
warrant action (Go to pages 3, 4, 5 and 6 ***)	1		
Proposed action technically viable? (Go to Page 9 ***)	V	A	
Have all the appropriate steps been taken to ensure that all segments of program and its possible effects? YES V NO Local Parish has been consulted.	of the affe	cted popu	lation have been informed of the EWP
Comments:			

^{*} Statutory ** Regulation

^{***} DSR Pages 3 through 5 are required to support the decisions recorded on this summary page. If additional space is needed on this or any other page in this form, add appropriate pages. 1 of 14

	011-05-004R
DSR NO:	

Section 1E Proposed Action

. Describe the preferred alternative from Findings: Section 5 A:

Remove and dispose debris and large trees from the channel (by burning, chipping, or hauling) accessing the channel from one side.

Total installation cost identified in this DSR: Section 3: \$_4,685.50

Section 1F NRCS State Office Review and Approval

Reviewed By:

Date Reviewed: 3/10/0

Approved By:

Umaldw. Johnes de Approved:

PRIVACY ACT AND PUBLIC BURDEN STATEMENT

NOTE: The following statement is made in accordance with the Privacy Act of 1974, (5 U.S.C. 552a) and the Paperwork Reduction Act of 1995, as amended. The authority for requesting the following information is 7 CFR 624 (EWP) and Section 216 of the Flood Control Act of 1950, Public Law 81-516, 33 U.S.C. 701b-1; and Section 403 of the Agricultural Credit Act of 1978, Public Law 95334, as amended by Section 382, of the Federal Agriculture Improvement and Reform Act of 1996, Public Law 104-127, 16 U.S.C. 2203. EWP, through local sponsors, provides emergency measures for runoff retardation and erosion control to areas where a sudden impairment of a watershed threatens life or property. The Secretary of Agriculture has delegated the administration of EWP to the Chief or NRCS on state, tribal and private lands.

Signing this form indicates the sponsor concurs and agrees to provide the regional cost-share to implement the EWP recovery measure(s) determined eligible by NRCS under the terms and conditions of the program authority. Failure to provide a signature will result in the applicant being unable to apply for or receive a grant the applicable program authorities. Once signed by the sponsor, this information may not be provided to other agencies. IRS, Department of Justice, or other State or Federal Law Enforcement agencies, and in response to a court or administrative tribunal.

The provisions of criminal and civil fraud statutes, including 18 U.S.C. 286, 287, 371, 641, 651, 1001; 15 U.S.C. 714m; and 31 U.S.C. 3729 may also be applicable to the information provided. According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0578-0030. The time required to complete this information collection is estimated to average 117/1.96 minutes/hours per response, including the time for reviewing instructions, searching existing data sources, field reviews, gathering, designing, and maintaining the data needed, and completing and reviewing the collection information.

USDA NONDISCRIMINATION STATEMENT

"The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, martial status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programms.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202)720-2600 (vocie and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, SW., Washington, DC 20250-9410, or call (800)795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Civil Rights Statement of Assurance

The program or activities conducted under this agreement will be in compliance with the nondiscrimination provisions contained in the Titles VI and VII of the Civil Rights Act of 1964, as amended; the Civil Rights Restoration Act of 1987 (Public Law 100-259); and other nondiscrimination statutes: namely, Section 504 of the Rehabilitation Act of 1973, Title IX of the Amendments of 1972, the Age Discrimination Act of 1975, and the Americans with Disabilities Act of 1990. They will also be in accordance with regulations of the Secretary of Agriculture (7 CFR 15, 15a, and 15b), which provide that no person in the United States shall on the grounds of race, color, national origin, gender, religion, age or disability, be excluded from participation in, be denied the benefits of, or otherwise subjected to discrimination under any program or activity receiving Federal financial assistance from the U.S. Department of Agriculture or any agency thereof.

Section 2 Environmental Evaluation

2A Resource	2B Existing	20	C Alternative Designat	ion
Concerns	2B Existing Condition	Proposed Action	No Action	Alternative
		21	D Effects of Alternativ	85
Soil			D Lifects of Alternativ	
Water				
Downstream				
water rights				
Air				
Plant				
Animal				
Other				
Juici				

	DSR NO:	
--	---------	--

Section 2E Special Environmental Concerns

Resource	Existing Condition	E Special Environme	Alternatives and Effects	
Consideration	Laisung Condition	Proposed Action	No Action	Alternative
Consideration		r roposed Action	INO ACTION	Anemauve
Clean Water Act				
Waters of the U.S.				
waters of the o.s.				
Coastal Zone				
Management Areas				
Wanagement 7 ireas				
Coral Reefs				
Colul ICCIS				
Cultural Resources				
Cultural Resources				
Endangered and				
Threatened Species				
Environmental				
Justice				
- Custice				
Essential Fish				
Habitat				
Fish and Wildlife				
Coordination				
Floodplain				
Management				
Invasive Species				
•				
Migratory Birds				
-				
Natural Areas				
Prime and Unique				
Farmlands				
Riparian Areas				
Scenic Beauty				
Wetlands				
Wild and Scenic				
Rivers				

Completed By:	D	Date:	
---------------	---	-------	--

DSR NO:

Section 2F Economic

This section must be completed by each alternative considered (attach additional sheets as necessary).

	Future Damages (\$)	Damage Factor (%)	Near Term Damage
B (1 B (1 (B) (1))			Reduction
Properties Protected (Private)			
2 single wide trailors			
Properties Protected (Public)			
Business Losses			
Other			
	Total Near Term Da	mage Reduction \$	
Net Benefit (Total Near Te	erm Damage Reduction minus Co		
1,00 201011 (101111011110			l

Completed By: Date:

Section 2G Social Consideration This section must be completed by each alternative considered

(attach additional sheets as necessary).

	YES	NO	Remarks
Has there been a loss of life as a result of the watershed impairment?			
Is there the potential for loss of life due to damages from the watershed impairment?			
Has access to a hospital or medical facility been impaired by watershed impairment?			
Has the community as a whole been adversely impacted by the watershed impairment (life and property ceases to operate in a normal capacity)			
Is there a lack or has there been a reduction of public safety due to watershed impairment?			

Completed By	:	Date:	

DSR NO:	NO:
---------	-----

Section 2H Group Representation and Disability Information

This section is completed only for the preferred alternative selected.

Group Representation	Number
American Indian/Alaska Native Female Hispanic	
American Indian/Alaska Native Female Non-Hispanic	
American Indian/Alaska Native Male Hispanic	
American Indian/Alaska Native Male Non-Hispanic	
Asian Female Hispanic	
Asian Female Non-Hispanic	
Asian Male Hispanic	
Asian Male Non-Hispanic	
Black or African American Female Hispanic	
Black or African American Female Non-Hispanic	
Black or African American Male Hispanic	
Black or African American Male Non-Hispanic	
Hawaiian Native/Pacific Islander Female Hispanic	
Hawaiian Native/Pacific Islander Female Non-Hispanic	
Hawaiian Native/Pacific Islander Male Hispanic	
Hawaiian Native/Pacific Islander Male Non-Hispanic	
White Female Hispanic	
White Female Non-Hispanic	
White Male Hispanic	
White Male Non-Hispanic	
Total Group	
Census tract(s)	
Completed By:	Date:

Note: This is not an isolated area and residents have alternative routes to access emergency assistance. Those effected directly are those living or owning homes in the potential flood zone.

DSR NO:		
Section 3 Engineering Cost E	stimate	
	Date:	

This section must be completed by each alternative considered (attach additional sheets as necessary).

Completed By: _____

Quantity	Units	Unit Cost (\$)	Amount (\$)
Total Inc	tallation Cost (Ent	ear in Section 1E\\$	
			Quantity Units Unit Cost (\$)

Unit Abbreviations:

AC Acre
CY Cubic Yard
EA Each
HR Hour
LF Linear Feet

LS Lump Sum
SF Square Feet
SY Square Yard
TN Ton
Other (Specifiy)

DSR NO:

Section 4 NRCS EWP Funding Priority

Complete the following section to compute the funding priority for the recovery measures in this application (see instructions on page 10).

Priority Ranking Criteria	Yes	No		Ranking Number Plus Modifer
1. Is this an exigency situation?				
2. Is this a site where there is serious, but not immediate threat to human life?				
3. Is this a site where buildings, utilities, or other important infrastructure components are threatened?				
4. Is this site a funding priority established by the NRCS Chief?				
The following are modifiers for the above criteria			Modifier	
a. Will the proposed action or alternatives protect or conserve federally-listed				
threatened and endangered species or critical habitat?				
b. Will the proposed action or alternatives protect or conserve cultural sites				
listed on the National Register of Historic Places?				
c. Will the proposed action or alternatives protect or conserve prime or important farmland?				
d. Will the proposed action or alternatives protect or conserve existing wetlands?				
a. Will the proposed action or alternatives maintain or improve current water quality conditions?				
f. Will the proposed action or alternatives protect or conserve unique habitat, including but not limited to, areas inhabited by State-listed species, fish and wildlife management area, or State identified sensitive habitats?				

Enter	priority	com	putation	in	Section	1A.	. NRCS	Entry	Funding	priority	number.

DSR NO:	011-05-004R

Section 5A Findings

Finding: Indicate the preferred alternative from Section 2 (Enter to Section 1E):

Remove and dispose debris and large trees from the channel (by burning, chipping, or hauling) accessing the channel from one side


I have considered the effects of the action and the alternatives on the Environmental Economic, Social; the Special Environmental at the preferred alternative:

Concerns; and the extraordinary circumstan	nces (40 CFR 1508.27). I find for the reasons stated below, that the
 ✓ Has been sufficiently analyzed Chapter 5.2.2.1.2 Chapter Chapter Chapter Chapter Chapter Chapter 	d in the EWP PEIS (reference all that apply)
May require the preparation o	f an environmental assessment or environmental impact statement. RCS State Office on this date:
NRCS representative of the DSR team	
Title: Frank Chapman	02/25/2006 Date: 3/10/06
Section 5B Comments:	
Section 5C	Sponsor Concurrence:
Sponsor Representative Title: Farial manager	Date: 3-10-06
•	Date. 7.70
Section 6 Attachments:	


- A. Location Map
- B. Site Plan or Sketches
- C. Other (explain)

SECTION 6


ATTACHMENTS




SITE MAP DSR 011-05-004R Pumpkin Loop Road/Bundick Lake Tributary Beauregard Parish



TOPO MAP DSR 011-05-004R Pumpkin Loop Road/Bundick Lake Tributary Beauregard Parish



Debris Removal




Note: Contract is to remove Debris from upstream and downstream Bridge which includes underside of bridge **Exception:** All Crossing which cross State or Federal highways are not included in contract

Typical Road Bridge Crossing Not to Scale

Notice: 48 Hours Before Digging Call 1-800-272-3020

Debris Removal




Note: Contract is to remove Debris from upstream and downstream Culverts which includes inside of culverts **Exception:** All Crossing which cross State or Federal highways are not included in contract

Typical Road Culvert type Crossing Not to Scale

Notice:

48 Hours Before Digging Call 1-800-272-3020

Debris Removal



Typical Section Not to Scale

Notice: 48 Hours Before Digging Call 1-800-272-3020

*Note: Access and work from north side only, except in locations where structures do not permit as concurred in by the COTR

Exception it may be possible that trees which were located outside of the the removal limits may have fallen into the removal limits, the entire tree will be removed back to the root ball even if only a portion of the tree is withinthe removal limits

Section 5 Engineering Cost Estimate Worksheet

Parish: Beauregard
Channel: Bundick Lake Tributary
Location: Pumpkin Loop Road

Completed By: Matt Pyle (Revised BAS 3/9/06)

Prefered Measure

Prefered Measure

Prefered Measure

Prefered Measure

Parish: Pumpkin Loop Road

Date: 21-Feb-06

Type of Work: Debris Removal

Location of Work:

Township(s)Range(s)Section(s)Quadrangle(s)3 South7 West31Boneset

Reach or Channel Seg Reach or Channel Seg Reach or Channel Seg

Latitude Longitude Latitude Longitude

Downstream Start: 30.75757 93.12319 Longitude Latitude Longitude

Upstream End: 30.75690 93.12371

Estimated Length of Work Segment (ft):

250 linear feet

Item No.	Proposed Recovery Measure	Quantity	Units	Unit Cost	Amount
1	Mobilization & Demobilization	1	LS	\$1,000.00	\$1,000
2	Channel Obstruction Removal	250	LF	\$14.63	\$3,658
3	Seeding, Sprigging and Mulching	0.14	AC	\$200.00	\$28
4					\$0
5					\$0

Note: Estimated cost of debris removal includes equipment, labor, hauling, and disposal of material.

Total Estimated Construction Cost \$4,686

Performance Time:

Production Rate Segment Length Production Time Contract Time

160 Ft/Day 250 Ft 1.56 Days 4 Days

Plus 2 Days Move In

Estimated Cost of Equipment with Labor (Per Revised Costs by BAS 2-9-06)

Cost per LF \$14.63

Estimated Cost of Seeding with Labor

Description of Work: Heavy with Complexities

Segment Length Segment Width No.of Segment Acres Cost per Ac **Total Cost** 25 Ft. 1 0.14 \$200 \$28

Comments:

The preferred method involves working from the north side of the channel and 25ft. of top bank and removing debris that is partially or fully obstructing the channel section, NOT floodplains. Removed debris may be chipped, burned, or hauled off site to an approved disposal site.

Section 5 Engineering Cost Estimate Worksheet

Parish: Beauregard
Channel: Bundick Lake Tributary
Location: Pumpkin Loop Road

Completed By: Matt Pyle (Revised BAS 3/9/06)

Alternative Measure

Alternative Measure

Type of Work: Debris Removal

Location of Work:

Township(s)Range(s)Section(s)Quadrangle(s)3 South7 West31Boneset

Reach or Channel Seg Reach or Channel Seg Reach or Channel Seg

Latitude Longitude Latitude Longitude

Downstream Start: 30.75757 93.12319 Longitude Latitude Longitude

Upstream End: 30.75690 93.12371

Estimated Length of Work Segment (ft):

250 linear feet

Item No.	Proposed Recovery Measure	Quantity	Units	Unit Cost	Amount
1	Mobilization & Demobilization	1	LS	\$1,000.00	\$1,000
2	Channel Obstruction Removal	250	LF	\$14.63	\$3,658
3	Seeding, Sprigging and Mulching	0.29	AC	\$200.00	\$58
4					\$0
5					\$0

Note: Estimated cost of debris removal includes equipment, labor, hauling, and disposal of material.

Total Estimated Construction Cost \$4,716

Performance Time:

Production Rate Segment Length Production Time Contract Time

160 Ft/Day 250 Ft 1.56 Days _____4 ___ Days

Plus 2 Days Move In

Estimated Cost of Equipment with Labor (Per Revised Costs by BAS 2-9-06)

Cost per LF \$14.63

Estimated Cost of Seeding with Labor

Description of Work: Heavy with Complexities

Segment Length Segment Width No.of Segment Acres Cost per Ac **Total Cost** 25 Ft. 2 0.29 \$200 \$58

Comments:

The preferred method involves working from both sides of the channel and 25ft. of top bank and removing debris that is partially or fully obstructing the channel section, NOT floodplains. Removed debris may be chipped, burned, or hauled off site to an approved disposal site.

			nannel Ol					
			SITE	E INFORM.	ATION			
Parish: Beggregard					Site: Pumplin Loop - Drain to Bundick Luke			
ity: -	•							
Sponsor: Police Jury						From -		
Date: 2/15/06 Evaluation Team: Matt Ryle Miles Nichols, Joy Martin,					4	To -		
valuation Te	am: Matt Ry	e Hite Ni	chois, Jay	Martin,				
PHOTO NUMBERS AND BRIEF DESCRIPTION					WAYPOINTS (CIRCLE location and record in Decimal Degrees			
Photo #		Descrip	otion		T		100000000000000000000000000000000000000	- 1-
9 Debris, Lower Endsite					Start Work (D/S end) N 30,75757 / 30,7569			
10 Trailer, NEW, Endangered by blockage 11 Old trailer endangered by blockage					End Work (U/S end) W 093.123/9/ 093.1237			
12	upper end	Blockedal				TUDEO		
			ARBY AND	lumbers, Value	es, and Size			
	_CHURCHES			SCHOOLS			PUBLIC FA	CILITIES
o. of Church	es		No. of Scho	ols		No. of Public Fa		
HOMESITES							SINESSES	
o. of Homes		\$1,000 \	2		No. of Busin			S M L
verage valu	e of Homes (X	#1,000 ,			JOIZE OF BUS	1103302		O IVI L
			STRI	EAM CROS	SSINGS			
			(CIRCLE type a			ength		
T	YPE	MATE			N	UMBER, SIZE,	& LENGTH	
	idge							
	lverts							
Other	or None							
				UTILITIE				
		(CHECK the I	location of the ut			E stream orientati	on)	
		Overhead (Powe	er, Cable, etc.)	Mities in the an	ea and GHRCLE	Estream orientati	on)	D/S
	В	Overhead (Powe uried (Gas, Sew	er, Cable, etc.) ver, water, etc.	Mities in the an	ea and GHRCLE	is)	on)	D/S
	В	Overhead (Powe	er, Cable, etc.) ver, water, etc.	Mities in the an	ea and GHRCLE	is 3	on)	
	B Elevat	Overhead (Powe uried (Gas, Sew ed Cross channe	er, Cable, etc.) er, water, etc.) el (Water, Gas) , etc.)	O U	is)	on)	D/S
	Elevat Ouerhead	Overhead (Power uried (Gas, Sew ed Cross channed Utilitie	er, Cable, etc.) ver, water, etc. el (Water, Gas	ittities in the an) , etc.) 5 ue fov	O U	is)	on)	D/S
emarks:	Blevat Ouerhead CHAN	Overhead (Power uried (Gas, Sewed Cross channed Utilitie)	er, Cable, etc.) ver, water, etc. el (Water, Gas s Qu is	illities in the and) , etc.) 5 4e fov	O U	is)	FLO	D/S D/S
emarks:	Blevat Ouerhead CHAN	Overhead (Powe uried (Gas, Sew ed Cross channe d Utilitie	er, Cable, etc.) er, water, etc., el (Water, Gas s Qu i's	illities in the and) , etc.) 5 4e fov	- upper	is)		D/S D/S
emarks:	B Elevat Ou e い しゃは CHAN CHECK appropria	Overhead (Power uried (Gas, Sew ed Cross channed したけた)	er, Cable, etc.) er, water, etc., el (Water, Gas s Qu i's	titities in the and)), etc.) 5 ue fov CS ons information DIMENSION:	- upper	VES	FLO	D/S D/S W lowing?
emarks:	CHANCHECK appropria	Overhead (Power uried (Gas, Sew ed Cross channed (ファルドラン INEL CHARA te box for slope arres	er, Cable, etc.) ver, water, etc. el (Water, Gas S QU 15 ACTERISTION d fill in dimension	titities in the and)), etc.) 5 ue fov CS ons information DIMENSION: (ft.)	upper	VES	FLO	D/S D/S W lowing?
emarks:	CHANCHECK appropria SLOPES 1.5: 1 or steep	Overhead (Power uried (Gas, Sew ed Cross channed Unitizate to box for slope and er 3:1 Slope	er, Cable, etc.) ver, water, etc. el (Water, Gas S Q V 1 S ACTERISTION d fill in dimension Top Width (titities in the and)), etc.) 5 ue fov CS ons information DIMENSION: (ft.)	s 6	VES	FLO	D/S D/S W lowing?
emarks:	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through	Overhead (Power uried (Gas, Sew ed Cross channed Unitizate to box for slope and er 3:1 Slope	or, Cable, etc.) ver, water, etc. el (Water, Gas s Qu is ACTERISTIC ad fill in dimension Top Width (Bottom Wid Depth (ft.)	itities in the and) , etc.) 5 4e fov CS ons information DIMENSION: (ft.)	S 6 3 2	YES Is debris acc	FLO	D/S D/S W lowing? NO (i.e. Leaves, Trash)
emarks:	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through	Overhead (Power uried (Gas, Sew uried (Gas, Sew ed Cross channed (Cas) (rer, Cable, etc.) rer, water, etc. el (Water, Gas S QU IS ACTERISTIC ad fill in dimension Top Width (Bottom Wid Depth (ft.)	in the and	S B B B B B B B B B B B B B B B B B B B	YES Is debris acc	FLO	D/S D/S W lowing? NO (i.e. Leaves, Trash)
emarks:	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through	Overhead (Power uried (Gas, Sew uried (Gas, Sew ed Cross channed (Cas) (ar, Cable, etc.) rer, water, etc. el (Water, Gas S QU 1 S ACTERISTIO ad fill in dimension Top Width (Bottom Wid Depth (ft.) STATE	intities in the and intities in the and intities in the and circle.) Superformation of the and intities in the and circle.	S G G G G G G G G G G G G G G G G G G G	YES Is debris acc	FLO	D/S D/S W lowing? NO (i.e. Leaves, Trash)
emarks:	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew ed Cross channed Unities) INEL CHARA to box for slope and er 3:1 Slope 1 (CHECK the	ar, Cable, etc.) rer, water, etc. el (Water, Gas S QU 1 S ACTERISTIO ad fill in dimension Top Width (Bottom Wid Depth (ft.) STATE	in the and	S G G G G G G G G G G G G G G G G G G G	YES Is debris and YES	FLO Is Water Flournulating?	D/S D/S W lowing? NO (i.e. Leaves, Trash)
DEBRIS Pine Trees	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew ed Cross channed Unities) INEL CHARA to box for slope and er 3:1 Slope 1 (CHECK the ACROSS	r, Cable, etc.) rer, water, etc. el (Water, Gas S Q J f S ACTERISTIC Top Width (Bottom Wid Depth (ft.) STATE E boxes as need	intities in the and intities in the and intities in the and circle.) Superformation of the and intities in the and circle.	S G G G G G G G G G G G G G G G G G G G	YES Is debris acc YES Less th	FLO Is Water Flournulating? BLOCK of X-Section an 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50%
DEBRIS Pine Trees Hardwoods	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew ed Cross channed Unities) INEL CHARA to box for slope and er 3:1 Slope 1 (CHECK the ACROSS	ar, Cable, etc.) rer, water, etc. el (Water, Gas S QU 1 S ACTERISTIO ad fill in dimension Top Width (Bottom Wid Depth (ft.) STATE	intities in the and in the and in the and in the and circle and circle aze of DEBR	S B B B B B B B B B B B B B B B B B B B	YES Is debris and YES Webris that applies	FLO Is Water Flournulating? BLOCK of X-Section an 25%	D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed:
DEBRIS Pine Trees Hardwoods Shrubs	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew uried (Gas, Sew ed Cross channed Utilities) INEL CHARA to box for slope and er 3:1 Slope (CHECK the ACROSS CHANNEL	ar, Cable, etc.) rer, water, etc. rer, Cable, etc.) rer, Cable, etc. rer, Cable, etc.) rer, Water, etc. rer, W	in the and	PROBLEM LE the size of de	YES Is debris acc YES Less th Less th	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew ed Cross channed Unities) INEL CHARA to box for slope and er 3:1 Slope 1 (CHECK the ACROSS	ar, Cable, etc.) rer, water, etc. rer, Cable, etc.) rer, Cable, etc. rer, Cable, etc.) rer, Water, etc. rer, W	cs consinformation in the and circle in the and	PROBLEM LE the size of de	YES Is debris acc YES Less th Less th	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs	CHANCHECK appropria SLOPES 1.5:1 or steep 1.5:1 through Flatter than 3:	Overhead (Power uried (Gas, Sew uried (Gas, Sew ed Cross channed Utilities) INEL CHARA to box for slope and er 3:1 Slope (CHECK the ACROSS CHANNEL	Top Width (Bottom Wid Depth (ft.) STATE Boxes as need WORK ME	intities in the and in	PROBLEM LE the size of de RIS Heavy D LOCATI	YES Is debris acc YES Is debris that applies We are a debries that applies	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3:	Overhead (Power uried (Gas, Sew uried (Gas, Se	Top Width (Bottom Wid Depth (ft.) STATE Bottom Wid Depth (ft.) STATE WORK ME (CHECK	intities in the and intiti	PROBLEM LE the size of de RIS D LOCATION TO LOCATION	YES Is debris acc YES Is debris that applies We are a debries that applies	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3:	Overhead (Power uried (Gas, Sew uried (Gas, Se	Top Width (Bottom Wid Depth (ft.) STATE boxes as need CHECK C	intities in the and intiti	PROBLEM LE the size of de RIS D LOCATI Dest applies; Buggy)	YES Is debris and YES Is debris that applies % of Less the start of th	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs Other (explain	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3: IN CHANNEL Within Channe Within Channe	Overhead (Power uried (Gas, Sew uried (Gas, Sew uried (Gas, Sew uried Cross channed Utilities) INEL CHARAGE BOX for slope and uried (CHECK the ACROSS CHANNEL Uried CHANNEL Uried Upon Floating Equipm I Non - Floating I I I I I I I I I I I I I I I I I I I	Top Width (Bottom Wid Depth (ft.) STATE boxes as need CHECK C	intities in the and intiti	PROBLEM LE the size of de RIS D LOCATI Dest applies; Buggy)	YES Is debris and YES Is debris that applies % of Less the start of th	FLO Is Water F cumulating? BLOCK of X-Section man 25%	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs Other (explain	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3: IN CHANNEL Within Channe Within Channe From Top Ban	Overhead (Power uried (Gas, Sew uried (Gas, Sew uried (Gas, Sew uried Cross channed Utilities) INEL CHARAGE BOX for slope and uried (CHECK the ACROSS CHANNEL Uried Course uried Charage uried Charag	Top Width (Bottom Wid Depth (ft.) STATE boxes as need CHECK C	intities in the and intiti	PROBLEM LE the size of de RIS Heavy D LOCATI Dest applies; Luggy) Ek-hoe, Spide	YES Is debris acc YES Less that applies A color of the	Is Water Flournulating? BLOCK of X-Section man 25% Sociology Carler	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash, NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs other (explain	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3: IN CHANNEL Within Channe Within Channe From Top Bani CESS TO SI	Overhead (Power uried (Gas, Sew uried (Gas, Sew uried (Gas, Sew uried Cross channed Control of the control of t	Top Width (Bottom Wid Depth (ft.) STATE Bottom Wid Depth (ft.) STATE WORK ME (CHECK CHECK CHE	in the and in the and in the and in the and information in the and information in the and information in the	PROBLEM Be and CHRCLE U U U T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C C C C C C C C C C C	YES Is debris acc YES Is debris that applies Months of the state of th	Is Water Find the cumulating? BLOCK of X-Section than 25% Carlev the cumulating?	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash) NO AGE Obstructed: 26%-50% (6%-100%)
DEBRIS Pine Trees Hardwoods Shrubs other (explain	CHANCHECK appropria SLOPES 1.5: 1 or steep 1.5: 1 through Flatter than 3: IN CHANNEL Within Channe Within Channe From Top Bani CESS TO SI	Overhead (Power uried (Gas, Sew uried (Gas, Sew uried (Gas, Sew uried Cross channed Control of the control of t	Top Width (Bottom Wid Depth (ft.) STATE Bottom Wid Depth (ft.) STATE WORK ME (CHECK CHECK CHE	in the and in the and in the and in the and information in the and information in the and information in the	PROBLEM Be and CHRCLE U U U T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C T D L C C C C C C C C C C C C	YES Is debris acc YES Is debris that applies Months of the state of th	Is Water Find the cumulating? BLOCK of X-Section than 25% Carlev the cumulating?	D/S D/S D/S W lowing? NO (i.e. Leaves, Trash, NO AGE Obstructed: 26%-50% (6%-100%)

Across State Road 1058 than 2 min away